




## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 7 : <b>G11B 27/10, 19/02, G06F 17/30, G09B 5/06, G06F 17/60 // H04N 5/85</b>		A1	(11) International Publication Number: <b>WO 00/63915</b>
			(43) International Publication Date: <b>26 October 2000 (26.10.00)</b>
(21) International Application Number: <b>PCT/US00/10155</b>		(81) Designated States: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: <b>13 April 2000 (13.04.00)</b>			
(30) Priority Data: 60/129,724 16 April 1999 (16.04.99) US 09/546,575 10 April 2000 (10.04.00) US			
(71) Applicant: SPRUCE TECHNOLOGIES, INC. [US/US]; Suite 200, 1054 South DeAnza Boulevard, Cupertino, CA 95129 (US).		Published <i>With international search report.</i>	
(72) Inventors: MOHAN, Fergal, John; Apt. B, 131 South Mathilda Avenue, Sunnyvale, CA 94086 (US). BRODERSEN, Rainer, 2373 Homestead Road, Santa Clara, CA 95050 (US).			
(74) Agent: JOYNER, Roger, S.; Pillsbury Madison & Sutro LLP, 1100 New York Avenue, N.W., Washington, DC 20005 (US).			

## (54) Title: CONVERGENCE-ENABLED DVD AND WEB SYSTEM



## (57) Abstract

A system integrates a DVD system and a WWW web browser. Universal Resource Locator (URL) information corresponding to sites accessible by the browser are stored in fields within the DVD data. When the user actuates a DVD element that has a corresponding URL, the web browser displays information from that site. When the user actuates an HTML menu or other browser-implemented feature, the DVD system accesses a portion of the DVD data specified in the menu. This arrangement provides for two-way communication, i.e., HTML in the browser is able to control DVD content and vice-versa. Having the WWW information embedded in the DVD brings a number of benefits, the foremost of which is the ability to write a "one size fits all" template web page that can interrogate the DVD for URL information and present WWW content corresponding to the URL synchronized with the DVD information.

**FOR THE PURPOSES OF INFORMATION ONLY**

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Larvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		

## CONVERGENCE-ENABLED DVD AND WEB SYSTEM

Cross-Reference to Related Application

This application is based on and claims priority from U.S. Provisional Application Serial 5 Number 60/129,724, filed on April 16, 1999 and hereby incorporated by reference.

Background of the Invention1. Field of the Invention

10 The present invention is directed to interactive multimedia systems. More particularly, the invention is directed to DVD systems which are able to selectively control the processing of content from the World Wide Web and the like, and to web-based systems which are able to selectively access DVD systems and the like.

2. Background of the Related Art

15 Digital Versatile Discs (or variously Digital Video Discs or DVDs) and the World Wide Web (WWW) are extremely powerful interactive multimedia tools. However, they both have their drawbacks. Although DVDs are capable of storing large amounts of high-quality video and audio data, once they are manufactured their content is essentially static; it cannot be changed, updated or personalized. Also, the limited interactivity does not meet the demands of many of today's computer-literate users. Further, although the WWW is dynamic and rapidly changing, it is not capable of 20 providing high-quality multimedia content in real time for many users due to limited bandwidth.

Summary of the Invention

25 The present invention has been made with the above problems of the prior art in mind, and a first object of the present invention is to provide a system for integrating static and interactive multimedia delivery systems such as DVD systems and the WWW.

It is another object of the present invention to provide a multimedia delivery system which is interactive and easily modifiable.

30 It is a further object of the present invention to provide a highly interactive and dynamic multimedia system which is capable of providing high-quality multimedia content.

35 The above objects are achieved according to an aspect of the present invention by providing a system which integrates a DVD system and WWW content or similarly presented information, such as HTML-formatted material. Universal Resource Locator (URL) information corresponding to sites or media streams accessible via the WWW or another content delivery system are stored in fields within the DVD data. When a user actuates a DVD element that has a corresponding URL the information from that site is displayed in a web browser to enhance the DVD viewing experience.

Conversely, the DVD system can be controlled when the user actuates HTML information from a web page or the like. This arrangement provides for two-way control, i.e., HTML is able to control DVD content and vice-versa. Having the WWW information embedded in the DVD brings a number of benefits, perhaps the foremost of which is the ability to write a "one size fits all" template web page 5 that can interrogate the DVD for URL information and present WWW content corresponding to the URL information and synchronized with the DVD content.

#### Brief Description of the Drawings

These and other objects, features, and advantages of the present invention are better understood 10 by reading the following detailed description of the preferred embodiment, taken in conjunction with the accompanying drawings, in which:

FIGURE 1 is a block diagram of an integrated DVD and web browser system according to a preferred embodiment of the present invention;

FIGURE 2 is an example screen showing DVD and WWW playback according to the preferred 15 embodiment; and

FIGURE 3 is a flowchart showing the steps in displaying DVD content in conjunction with WWW or streamed media content in the preferred embodiment.

#### Detailed Description of the Presently Preferred Exemplary Embodiment

FIG. 1 shows an integrated DVD/WWW system (preferably known as a "Convergence Enabled 20 System") according to a preferred embodiment of the present invention. As is well known in the art, web browser 10 is preferably implemented on a personal computer or the like. The browser can preferably simultaneously display web content and DVD content or can be readily adapted to do so as will be apparent to those skilled in the art. Also, the DVD system 20 is preferably a DVD drive and 25 associated support circuitry installed within the computer; however, a dedicated DVD player communicable with and controllable by the computer may also be used for this purpose. Further, DVD 70 played by the DVD system 20 is preferably specially authored as described in greater detail below.

In use, the browser 10 displays a web page 30 defined by, e.g., HTML code, and stored at a site 30 specified by the user to the browser 10. The browser 10 may also display a separate or integrated playback field 40, i.e., a window, frame or other field) for video content from DVD system 20 or streamed content from the WWW, with synchronized audio from the DVD 20 or streamed content played on the computer's speakers as is known in the art (see FIG. 2). Preferably, the playback field 40 is generated by a media player 80, such as the Microsoft Windows Media Player, with a call 35 thereto embedded in HTML code for the displayed web page as is known in the art. Other multimedia players may also be adapted for this purpose as well.

As is known in the art, DVD systems may be configured to display buttons and the like to enable a user to navigate the DVD 70 and access various portions thereof. In a dedicated DVD player, these buttons are accessed by a cursor controlled by cursor direction keys on the DVD player's console, remote control or the like; however, when a DVD is played in the computer using the media player 80, the buttons may be accessed by positioning or clicking the computer's mouse cursor on the buttons displayed by the media player 80 as is common with graphical user interfaces as shown in Step 110 of FIG. 3. When this occurs, the media player 80 generates a Windows event message such as EC\_DVD\_Button\_Change signifying that a particular button has been selected or actuated and providing its number (Step 120). In the preferred embodiment, this message is intercepted by an event script 50 which calls DVDTTextInfoParser 60 (Step 130), a custom object that uses the current DVD button (provided by the media player 80 via EC\_DVD\_Button\_Change) and information extracted from a particular field within the DVD 70 corresponding to that button as described in greater detail below in order to obtain a URL (Step 140) that can be accessed by the web browser 10 and displayed on the web page 30 (Step 150).

More specifically, as is known in the art the media player 80 preferably generates information on the current status of the DVD 70 as part of its playback process. The DVD 70 is preferably authored to cause the DVD system 20 to write the index of the currently displayed menu into a specific General DVD parameter (GPRM) by, e.g., inserting DVD commands at strategic places into the DVD data set during its compilation. An example of a DVD authoring system which automatically performs this task is described in United States Patent Application No. 09/010,267 to Brodersen et al., incorporated herein by reference. A commercially available system which automatically performs this task is the DVD Maestro system of Spruce Technologies of San Jose, CA.

In Step 100, the media player 80 will then emulate this register information (the GPRMs) when playing DVDs; for example, the method in which the windows media player does this is explained in Microsoft's documentation for the program. The menu index thus obtained from the GPRMs in Step 142 can be used in Step 144 as an index into corresponding fields in the DVD's TXTDT\_MG structure, also read in by the media player 80, which contains URLs stored there by the DVD authoring system. As detailed in the DVD specification, the TXTDT\_MG structure within the DVD data includes various predefined fields holding specified information such as producer name, vocalist name, languages and the like, and a provider-unique field designated for such use may be used to store the URL. Thus, by monitoring the designated GPRM, an outside program such as the event script 50 can reliably derive the appropriate URL from the current menu index and the current button.

For systems using Microsoft DirectShow, the DVDTTextInfoParser object (based on an ATL COM interface named IDVDTTextInfoParser) can preferably facilitate playback of DVD 70 using the DirectShow DVDDGraphBuilder interface; however, other techniques also will be readily apparent to those skilled in the art. As described above, DVDTTextInfoParser then accesses the DirectShow

IDVDInfo interface to read in text data. This technique is used in the preferred embodiment; however, other techniques can be used with platforms on which DirectShow is not available; for example, the TXTDT\_MG structure can be directly read in from the DVD 70.

Preferably, event script 50 is a Java script; however, alternative implementations such as a 5 Microsoft Visual Basic Script may be used instead. Also, DVDTextInfoParser 60 is preferably an ActiveX control using an ATL COM interface; however, other program implementations may be used as well. Further, although DVDTextInfoParser 60 may access the DVD system 20 each time a URL is needed, in the preferred embodiment it preferably reads the TXTDT\_MG structure into memory each time a DVD 70 is initialized, and references the information in memory. This is because the 10 Windows Media Player used as the media player 80 in the preferred embodiment does not work well with other objects simultaneously accessing interfaces to the same DVD 70. If this problem is resolved in future versions of DirectShow, the access-as-needed scheme might work equally well.

Thus, a "one size fits all" template web page could be made in which a field 40 displays DVD playback while a window 30 displays web content. When the user selects a button, the media player 15 80 generates an EC\_Button\_Change event which is acted upon by the event script 50 to call DVDTextInfoParser 60 based on the button number and menu title index number to obtain the corresponding URL from the DVD's TXTDT\_MG structure. The content corresponding to the retrieved URL is then displayed in the web page 30. Similarly, when an EC\_Domain\_Change or EC\_Chapter\_Change event occurs, DVDTextInfoParser 60 could be called to check for corresponding 20 URLs and synchronize the web content in web page 30 to the current chapter displayed in playback field 40. If the corresponding URL content contains a reference to streaming content, the streaming video can be displayed in combination with or in place of the DVD content.

In a similar manner, HTML code in the web page 30 may make calls to the event script 50 or a similar script to retrieve the URLs stored in TXTDT\_MG as will be readily apparent to those skilled 25 in the art. These may then be displayed in the web page 30 as hyperlinks, controls or the like to enable the browser to display web content 30 corresponding to URLs in the DVD 70. Thus, rather than or in conjunction with controlling the system by accessing features of the DVD display 40 as described above, the system may be controlled by accessing features of the web page 30.

The above description of the preferred embodiment has been presented for explanation purposes 30 only, and the present invention is not so limited. Modifications, embellishments and alternative implementations of the invention will be readily apparent to those skilled in the art and are encompassed by the invention.

For example, in the preferred embodiment the URLs associated with the DVD menu buttons 35 have been references to web pages or streaming video; however, the URLs may point to other types of resources and rely on the system to call appropriate helper applications; for example, a URL might point to a file in Adobe Acrobat PDF format, so that when the browser accesses it the Adobe Acrobat

reader will automatically be called to display it. Even further, the URLs need not point to data files, but can also refer to programs which will be played when the corresponding buttons are actuated or the like.

Further, numerous practical applications of the invention will become apparent to those skilled 5 in the art. For example, information on events and webcasts could be distributed in the form of an electronic magazine. Consumers would receive the electronic magazine in the mail on DVD. The DVD can combine rich video content of the various artists and events, high quality samples of content (webcasts, etc.) to be purchased, interviews, concert information and the ability to purchase associated merchandise all on one disc. Since the disc uses high quality graphical elements that are assembled 10 from an HTML template stored on a separate server, the viewer's experience can change as often as the DVD distributor wishes. In fact, different content may be served to different consumers based on parameters in the URLs. The fact that one disc can be a totally different experience for everyone that views it makes the system a highly flexible and effective advertising medium.

In another potential application, a DVD containing a business or sales training program 15 produced to take advantage of many DVD features, such as Multiple Language Tracks and Multiple Camera Angles, could be distributed worldwide. Viewers could interact directly with the content and be qualified based on their performance. The DVDs would be usable at any time as an offline reference.

In yet another potential application, a professor works with his AV team to author several 20 DVDs to be distributed to the students to take with them. The student may then view lectures and seminars from top professors from around the world in their own home. Classwork and tests could be administered remotely via each professor's website. Scheduled class hours with chat boards would give the student the ability to refer to every discussion that ever took place at any given time, and the DVDs could be saved as future references.

25 Such variations and implementations are to be considered within the scope of the present invention.

**WHAT IS CLAIMED IS:**

1. A system comprising:
  - a DVD unit for playing a DVD and generating information representative of the contents thereof;
  - URL deriving means for receiving the information and deriving a Universal Resource Locator (URL) from the information;
  - a browser for displaying content designated by the URL; and
  - a media player for playing video content within the information from the DVD.
2. The system of claim 1, wherein the URL deriving means comprises a DVD text information parser for receiving the information and parsing the information to derive data containing the URL therefrom.
3. The system of claim 2, wherein:
  - the DVD causes the media player to store indicia of a current position of play within the DVD; and
  - the DVD text information parser is for using the indicia to index into the control data to obtain the URL.
4. The system of claim 1, wherein the content specified by the URL is HTML-coded.
5. The system of claim 1, wherein the content specified by the URL is streaming media content.
6. The system of claim 1, wherein:
  - the media player is for displaying a menu button specified by the information from the DVD, the menu button being associated with the URL; and
  - the browser is for displaying the content specified by the URL responsive to user actuation of the menu button.
7. The system of claim 6, wherein:
  - the URL deriving means comprises a DVD text information parser for receiving the information and parsing the information to derive data containing the URL therefrom;
  - the media player is for generating a button number message responsive to the user actuation of the menu button; and

the URL deriving means further comprises an event script for receiving the message and responsive thereto calling the DVD text information parser.

**8. The system of claim 6, wherein:**

the URL deriving means comprises a DVD text information parser for receiving the information and parsing the information to derive data containing the URL therefrom;

the URL deriving means is further for reading control data from the DVD, the control data including the URL; and

the DVD text information parser is for using the button number message to index into the control data to obtain the URL.

**9. A system comprising:**

a DVD unit for playing a DVD and generating information representative of the contents thereof;

URL deriving means for receiving the information and deriving a Universal Resource Locator (URL) from the information;

a browser for displaying a hyperlink corresponding to the URL and, responsive to actuation thereof, content designated by the URL; and

a media player for playing video content within the information from the DVD.

**10. The system of claim 9, wherein the URL deriving means comprises a DVD text information parser for receiving the information and parsing the information to derive data containing the URL therefrom.**

**11. The system of claim 9, wherein the content specified by the URL is HTML-coded.**

**12. The system of claim 9, wherein the content specified by the URL is streaming media content.**

**13. A system comprising:**

a DVD unit for playing a DVD and generating information representative of the contents thereof;

URL deriving means for receiving the information and deriving a Universal Resource Locator (URL) from the information;

a browser for displaying a hyperlink corresponding to the URL and, responsive to actuation thereof, content designated by the URL; and

a media player for playing video content within the information from the DVD, the video content including a button associated with the URL;

wherein the browser is further for displaying content designated by the URL responsive to an actuation of the button.

14. The system of claim 13, wherein the information from the DVD includes positional information associated with the URL.

15. The system of claim 14, wherein the positional information indicates a position of the button within the DVD content.

16. A system comprising:

a DVD unit for playing a DVD and generating information representative of the contents thereof, the DVD information including a command to write a current position of the DVD into a general DVD parameter register of the DVD unit;

URL deriving means for receiving the information and deriving a plurality of Universal Resource Locators (URLs) from the information;

a browser for displaying content designated by the URLs; and

a media player for playing video content within the information from the DVD, the video content including a plurality of buttons associated with the URLs, the association between the buttons and URLs being responsive to positional information in the general DVD parameter register.

17. A system comprising:

a DVD unit for playing a DVD and generating information representative of the contents thereof;

a DVD text information parser for receiving the information and, based on positional playback data in the information, parsing the information to derive the URL therefrom.

a browser for displaying a hyperlink corresponding to the URL and, responsive to actuation thereof, content designated by the URL; and

a media player for playing video content within the information from the DVD.

18. The system of claim 17, wherein the information includes commands causing the media player to write the positional playback data in the media player's general DVD parameter registers.

19. The system of claim 17, wherein:

the information includes a data structure specifying a plurality of URLs; and

the DVD text information parser uses the positional playback data to index into the data structure to obtain the URL.

1/2




FIG. 1




FIG. 3  
SUBSTITUTE SHEET (RULE 26)

2/2




FIG. 2

SUBSTITUTE SHEET (RULE 26)

# INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 00/10155

**A. CLASSIFICATION OF SUBJECT MATTER**  
IPC 7 G11B27/10 G11B19/02 G06F17/30 G09B5/06 G06F17/60  
//H04N5/85

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)  
IPC 7 G11B G06F H04N G09B H04H

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

PAJ, EPO-Internal, IBM-TDB, INSPEC

**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	PATENT ABSTRACTS OF JAPAN vol. 1998, no. 08, 30 June 1998 (1998-06-30) & JP 10 063562 A (HITACHI LTD), 6 March 1998 (1998-03-06) abstract	1,4,6,9, 11,13-15
Y	&US 5 991 798 A (publ:1999-11-23): the whole document	2,3,7,8, 10,16-19
Y	EP 0 886 276 A (PIONEER ELECTRONIC CORP) 23 December 1998 (1998-12-23) column 17, line 46 - line 56 column 22, line 10 -column 30, line 5	2,3,7,8, 10,16-19
A	— —/—	1,9,13

Further documents are listed in the continuation of box C.

Patent family members are listed in annex.

\* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the International filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the International search

20 July 2000

Date of mailing of the International search report

27/07/2000

Name and mailing address of the ISA  
European Patent Office, P.B. 5818 Patentlaan 2  
NL - 2280 HV Rijswijk  
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
Fax: (+31-70) 340-3016

Authorized officer

Daalmans, F

## INTERNATIONAL SEARCH REPORT

International Application No  
PCT/US 00/10155

C(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	WO 98 47080 A (ION, INC.) 22 October 1998 (1998-10-22) the whole document column 2, line 65 -column 3, line 39 column 5, line 36 -column 6, line 54	1,4,6,9, 11,13-15
P,X	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 11, 30 September 1999 (1999-09-30) & JP 11 161663 A (TOSHIBA CORP), 18 June 1999 (1999-06-18) abstract & JP 11 161663 A: figures 1-9	1,4,6,9, 11,13-15
P,A		16-19
P,X	US 6 047 292 A (KELLY ROBERT L ET AL) 4 April 2000 (2000-04-04) the whole document	1,4,6,9, 11,13
P,A		16,17
A	EP 0 762 422 A (HITACHI LTD) 12 March 1997 (1997-03-12)  column 18, line 40 -column 26, line 20	1,3,4,6, 9,11, 13-19
A	EP 0 814 419 A (KNOWLEDGE INFORMATION RESEARCH) 29 December 1997 (1997-12-29) the whole document	1,4,6,9, 11,13-19
P,A	PATENT ABSTRACTS OF JAPAN vol. 1999, no. 11, 30 September 1999 (1999-09-30) & JP 11 161664 A (TOSHIBA CORP), 18 June 1999 (1999-06-18) abstract & JP 11 161664 A: figures 1-12	1,6,9, 13-18
A	MASCHA M ET AL: "Interactive education: Transitioning CD-ROMs to the Web" COMPUTER NETWORKS AND ISDN SYSTEMS, NL, NORTH HOLLAND PUBLISHING. AMSTERDAM, vol. 27, no. 2, 1 November 1994 (1994-11-01), pages 267-272, XP004037997 ISSN: 0169-7552 the whole document	

# INTERNATIONAL SEARCH REPORT

Information on patent family members

Int.	International Application No
PCT/US 00/10155	

Patent document cited in search report	Publication date	Patent family member(s)		Publication date
JP 10063562	A 06-03-1998	US 5991798	A	23-11-1999
EP 0886276	A 23-12-1998	JP 11018048	A	22-01-1999
		CA 2241346	A	20-12-1998
WO 9847080	A 22-10-1998	US 5987525	A	16-11-1999
		AU 7124698	A	11-11-1998
		EP 1010098	A	21-06-2000
		US 6061680	A	09-05-2000
JP 11161663	A 18-06-1999	NONE		
US 6047292	A 04-04-2000	NONE		
EP 0762422	A 12-03-1997	JP 9128408	A	16-05-1997
		CN 1146119	A	26-03-1997
		US 5909551	A	01-06-1999
EP 0814419	A 29-12-1997	JP 10105452	A	24-04-1998
JP 11161664	A 18-06-1999	NONE		